



## Bohus s.r.o.

Osloboditeľov 654

976 67 Zavacka nad Hronom

Tel. : +421-(0)48-6710201

mobil: +421-(0)903 524 690

e-mail: bohus@bohus.sk

Zoznam z 22.03.2018 12:36:17

Výrobok	Materiál	Rozmer	Množstvo
DNO 28011	P265GH (HII)	108,0x4,0	345
DNO 28011	P265GH (HII)	114,3x4,0	0
DNO 28011	P265GH (HII)	133,0x4,0	400
DNO 28011	P265GH (HII)	139,7x4,0	439
DNO 28011	P265GH (HII)	159,0x5,0	355
DNO 28011	P265GH (HII)	168,3x5,0	428
DNO 28011	P265GH (HII)	219,1x6,0	28
DNO 28011	P265GH (HII)	26,9x3,0	335
DNO 28011	P265GH (HII)	273,0x6,0	213
DNO 28011	P265GH (HII)	273,0x8,0	23
DNO 28011	P265GH (HII)	323,9x8,0	18
DNO 28011	P265GH (HII)	33,7x3,0	813
DNO 28011	P265GH (HII)	355,6x8,0	0
DNO 28011	P265GH (HII)	406,4x8,0	0
DNO 28011	P265GH (HII)	42,4x3,0	810
DNO 28011	P265GH (HII)	48,3x3,0	276
DNO 28011	P265GH (HII)	51,0x3,0	81
DNO 28011	P265GH (HII)	57,0x3,0	94
DNO 28011	P265GH (HII)	60,3x3,0	247
DNO 28011	P265GH (HII)	63,5x3,0	0
DNO 28011	P265GH (HII)	70,0x3,0	463
DNO 28011	P265GH (HII)	76,1x3,0	480
DNO 28011	P265GH (HII)	82,5x3,0	99
DNO 28011	P265GH (HII)	88,9x3,0	1,770
DNO 28011	P265GH (HII)	88,9x4,0	14
DNO 28013	P265GH (HII)	101,6x4,0	691
DNO 28013	P265GH (HII)	108,0x4,0	20
DNO 28013	P265GH (HII)	114,3x4,0	520
DNO 28013	P265GH (HII)	121,0x4,0	8
DNO 28013	P265GH (HII)	127,0x4,0	177
DNO 28013	P265GH (HII)	133,0x4,0	870
DNO 28013	P265GH (HII)	139,7x4,0	480
DNO 28013	P265GH (HII)	152,4x4,0	168
DNO 28013	P265GH (HII)	159,0x4,0	0
DNO 28013	P265GH (HII)	159,0x5,0	272

DNO 28013	P265GH (HII)	168,3x5,0	589
DNO 28013	P265GH (HII)	168,3x7,0	0
DNO 28013	P265GH (HII)	219,1x6,0	130
DNO 28013	P265GH (HII)	219,1x8,0	0
DNO 28013	P265GH (HII)	26,9x3,0	518
DNO 28013	P265GH (HII)	273,0x6,0	126
DNO 28013	P265GH (HII)	273,0x8,0	45
DNO 28013	P265GH (HII)	30,0x3,0	301
DNO 28013	P265GH (HII)	31,8x3,0	78
DNO 28013	P265GH (HII)	323,9x6,0	0
DNO 28013	P265GH (HII)	323,9x8,0	124
DNO 28013	P265GH (HII)	33,7x3,0	1,548
DNO 28013	P265GH (HII)	355,6x8,0	49
DNO 28013	P265GH (HII)	38,0x3,0	1,818
DNO 28013	P265GH (HII)	406,4x8,0	13
DNO 28013	P265GH (HII)	42,4x3,0	2,944
DNO 28013	P265GH (HII)	44,5x3,0	756
DNO 28013	P265GH (HII)	48,3x3,0	4,455
DNO 28013	P265GH (HII)	508,0x10,0	40
DNO 28013	P265GH (HII)	51,0x3,0	1,119
DNO 28013	P265GH (HII)	57,0x4,0	656
DNO 28013	P265GH (HII)	60,3x4,0	170
DNO 28013	P265GH (HII)	610,0x10,0	2
DNO 28013	P265GH (HII)	610,0x12,0	6
DNO 28013	P265GH (HII)	63,5x4,0	238
DNO 28013	P265GH (HII)	70,0x4,0	291
DNO 28013	P265GH (HII)	76,1x4,0	1,648
DNO 28013	P265GH (HII)	82,5x4,0	57
DNO 28013	P265GH (HII)	88,9x4,0	780
DNO 28013	P265GH (HII)	88,9x6,0	0
DNO 28013	P265GH (HII)	95,0x4,0	101
RNO 1,5d 3.1	13crMo4-5 (16CrMo44)	114,3x3,6 - 90°	77
RNO 1,5d 3.1	13crMo4-5 (16CrMo44)	33,7x2,6 - 90°	5,214
RNO 1,5d 3.1	13crMo4-5 (16CrMo44)	60,3x2,9 - 90°	1,627
RNO 1,5d 3.1	13crMo4-5 (16CrMo44)	88,9x3,2 - 90°	270
RNO 1,5d 3.1	16Mo3 (15Mo3)	114,3x3,6 - 90°	70
RNO 1,5d 3.1	16Mo3 (15Mo3)	114,3x6,3 - 90°	0
RNO 1,5d 3.1	16Mo3 (15Mo3)	114,3x8,8 - 90°	37
RNO 1,5d 3.1	16Mo3 (15Mo3)	33,7x2,6 - 180°	700
RNO 1,5d 3.1	16Mo3 (15Mo3)	33,7x2,6 - 90°	4,769
RNO 1,5d 3.1	16Mo3 (15Mo3)	33,7x3,6 - 90°	0

RNO 1,5d 3.1	16Mo3 (15Mo3)	33,7x4,0 - 180°	0
RNO 1,5d 3.1	16Mo3 (15Mo3)	33,7x4,0 - 90°	0
RNO 1,5d 3.1	16Mo3 (15Mo3)	42,4x4,0 - 90°	0
RNO 1,5d 3.1	16Mo3 (15Mo3)	48,3x2,6 - 180°	0
RNO 1,5d 3.1	16Mo3 (15Mo3)	48,3x3,6 - 180°	0
RNO 1,5d 3.1	16Mo3 (15Mo3)	48,3x4,0 - 90°	0
RNO 1,5d 3.1	16Mo3 (15Mo3)	48,3x4,5 - 90°	0
RNO 1,5d 3.1	16Mo3 (15Mo3)	48,3x5,6 - 90°	23
RNO 1,5d 3.1	16Mo3 (15Mo3)	48,3x6,3 - 90°	55
RNO 1,5d 3.1	16Mo3 (15Mo3)	60,3x2,9 - 180°	109
RNO 1,5d 3.1	16Mo3 (15Mo3)	60,3x2,9 - 90°	1,261
RNO 1,5d 3.1	16Mo3 (15Mo3)	60,3x4,5 - 90°	0
RNO 1,5d 3.1	16Mo3 (15Mo3)	60,3x5,0 - 90°	0
RNO 1,5d 3.1	16Mo3 (15Mo3)	60,3x5,6 - 90°	30
RNO 1,5d 3.1	16Mo3 (15Mo3)	60,3x6,3 - 90°	0
RNO 1,5d 3.1	16Mo3 (15Mo3)	76,1x6,3 - 90°	0
RNO 1,5d 3.1	16Mo3 (15Mo3)	76,1x7,1 - 90°	0
RNO 1,5d 3.1	16Mo3 (15Mo3)	76,1x8,0 - 90°	0
RNO 1,5d 3.1	16Mo3 (15Mo3)	88,9x3,2 - 180°	34
RNO 1,5d 3.1	16Mo3 (15Mo3)	88,9x3,2 - 90°	0
RNO 1,5d 3.1	16Mo3 (15Mo3)	88,9x5,6 - 90°	0
RNO 1,5d 3.1	16Mo3 (15Mo3)	88,9x8,0 - 90°	0
RNO 1,5d 3.1	L360NB (StE 360.7)	33,7x2,6 - 90°	0
RNO 1,5d 3.1	L360NB (StE 360.7)	38,0x2,6 - 180°	0
RNO 1,5d 3.1	L360NB (StE 360.7)	38,0x2,6 - 90°	0
RNO 1,5d 3.1	L360NB (StE 360.7)	42,4x3,6 - 90°	400
RNO 1,5d 3.1	P215NL (TTSt35N)	114,3x3,6 - 90°	16
RNO 1,5d 3.1	P215NL (TTSt35N)	88,9x3,2 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	101,6x3,6 - 180°	91
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	101,6x3,6 - 45°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	101,6x3,6 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	108,0x3,6 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	108,0x3,6 - 45°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	108,0x3,6 - 90°	587
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	108,0x6,3 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	114,3x3,56 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	114,3x3,6 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	114,3x3,6 - 45°	16
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	114,3x3,6 - 90°	521
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	114,3x4,5 - 45°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	114,3x4,5 - 90°	0

RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	114,3x5,0 - 90°	58
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	114,3x5,6 - 90°	609
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	114,3x6,3 - 45°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	114,3x6,3 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	114,3x7,1 - 90°	43
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	114,3x8,8 - 90°	8
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	121,0x4,0 - 90°	90
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	133,0x4,0 - 180°	13
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	133,0x4,0 - 90°	234
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	133,0x6,3 - 90°	4
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	139,7x4,0 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	139,7x4,0 - 45°	75
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	139,7x4,0 - 90°	332
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	139,7x5,6 - 90°	110
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	139,7x6,3 - 90°	57
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	159,0x4,5 - 180°	10
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	159,0x4,5 - 90°	6
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	168,3x4,5 - 45°	3
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	168,3x4,5 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	168,3x6,3 - 90°	1
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	168,3x7,1 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	168,3x8,0 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	17,2x1,8 - 180°	298
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	17,2x1,8 - 90°	167
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	17,2x2,0 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	21,3x2,0 - 180°	68
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	21,3x2,0 - 45°	242
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	21,3x2,0 - 90°	315
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	21,3x2,3 - 90°	1,000
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	21,3x2,6 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	21,3x3,2 - 90°	336
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	219,1x6,3 - 90°	172
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	26,7x2,3 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	26,9x2,0 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	26,9x2,0 - 90°	1,000
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	26,9x2,3 - 180°	250
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	26,9x2,3 - 45°	14
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	26,9x2,3 - 90°	950
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	26,9x2,6 - 180°	102
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	26,9x2,6 - 90°	1,601
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	26,9x2,9 - 45°	0

RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	26,9x2,9 - 90°	52
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	26,9x3,2 - 90°	1,158
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	273,0x10,0 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	273,0x6,3 - 90°	3
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	30,0x2,6 - 90°	12,340
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	31,8x2,6 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	31,8x2,6 - 90°	7,608
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	31,8x3,2 - 180°	29
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	31,8x3,6 - 180°	147
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	31,8x3,6 - 90°	90
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	323,7x7,1 - 90°	10
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	33,7x2,6 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	33,7x2,6 - 45°	137
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	33,7x2,6 - 90°	1,235
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	33,7x2,9 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	33,7x2,9 - 45°	500
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	33,7x2,9 - 90°	2,232
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	33,7x3,2 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	33,7x3,2 - 45°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	33,7x3,2 - 90°	380
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	33,7x3,6 - 180°	2,414
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	33,7x3,6 - 90°	72
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	33,7x4,0 - 90°	7
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	355,6x8,0 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	38,0x2,6 - 180°	35
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	38,0x2,6 - 90°	60
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	38,0x2,9 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	38,0x3,2 - 180°	151
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	38,0x3,6 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	406,4x8,8 - 90°	4
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	42,2x2,6 - 45°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	42,2x2,6 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	42,4x2,3 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	42,4x2,6 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	42,4x2,6 - 45°	7
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	42,4x2,6 - 90°	300
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	42,4x3,2 - 90°	540
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	42,4x3,6 - 180°	695
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	42,4x3,6 - 90°	550
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	42,4x4,0 - 90°	423
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	44,5x2,6 - 180°	55

RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	44,5x2,6 - 45°	340
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	44,5x2,6 - 90°	1,635
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	44,5x2,9 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	44,5x2,9 - 90°	1,200
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	44,5x3,2 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	44,5x3,6 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	48,3x2,6 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	48,3x2,6 - 45°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	48,3x2,6 - 90°	81
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	48,3x2,9 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	48,3x3,2 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	48,3x3,2 - 45°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	48,3x3,2 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	48,3x3,56 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	48,3x3,6 - 180°	907
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	48,3x3,6 - 45°	15
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	48,3x3,6 - 90°	4,225
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	48,3x3,91 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	48,3x4,0 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	48,3x4,0 - 90°	32
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	48,3x4,5 - 90°	1,448
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	48,3x5,0 - 90°	158
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	508,0x11,0 - 90°	5
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	51,0x2,6 - 180°	78
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	51,0x2,6 - 45°	373
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	51,0x2,6 - 90°	48
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	51,0x2,9 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	51,0x4,0 - 90°	490
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	57,0x2,9 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	57,0x2,9 - 45°	14
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	57,0x2,9 - 90°	3,142
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	57,0x4,0 - 45°	1
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	57,0x4,0 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	60,3x2,6 - 45°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	60,3x2,6 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	60,3x2,87 - 180°	5
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	60,3x2,9 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	60,3x2,9 - 45°	250
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	60,3x2,9 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	60,3x3,2 - 45°	12
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	60,3x3,2 - 90°	187

RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	60,3x3,6 - 45°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	60,3x3,6 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	60,3x4,0 - 180°	20
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	60,3x4,0 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	60,3x4,5 - 180°	6
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	60,3x4,5 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	60,3x5,0 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	60,3x5,6 - 90°	978
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	60,3x6,3 - 90°	136
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	60,3x7,1 - 90°	81
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	63,5x2,9 - 12°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	63,5x2,9 - 180°	60
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	63,5x2,9 - 45°	200
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	63,5x2,9 - 85°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	63,5x2,9 - 90°	283
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	70,0x2,9 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	70,0x2,9 - 90°	9
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	73,0x2,9 - 45°	200
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	73,0x2,9 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	76,1x2,6 - 45°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	76,1x2,6 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	76,1x2,9 - 180°	20
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	76,1x2,9 - 45°	34
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	76,1x2,9 - 90°	61
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	76,1x3,2 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	76,1x3,2 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	76,1x3,6 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	76,1x3,6 - 45°	1
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	76,1x3,6 - 90°	916
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	76,1x4,0 - 90°	28
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	76,1x4,5 - 180°	52
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	76,1x4,5 - 90°	729
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	76,1x5,0 - 45°	6
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	76,1x5,0 - 90°	7
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	76,1x5,6 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	76,1x6,3 - 90°	664
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	76,1x7,1 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	76,1x8,0 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	82,5x2,9 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	82,5x3,2 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/l)	82,5x3,2 - 45°	24

RNO 1,5d 3.1	P235GH TC1 (St35.8/I)	82,5x3,2 - 90°	35
RNO 1,5d 3.1	P235GH TC1 (St35.8/I)	88,9x3,2 - 180°	15
RNO 1,5d 3.1	P235GH TC1 (St35.8/I)	88,9x3,2 - 45°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/I)	88,9x3,2 - 90°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/I)	88,9x3,6 - 180°	0
RNO 1,5d 3.1	P235GH TC1 (St35.8/I)	88,9x3,6 - 45°	8
RNO 1,5d 3.1	P235GH TC1 (St35.8/I)	88,9x3,6 - 90°	14
RNO 1,5d 3.1	P235GH TC1 (St35.8/I)	88,9x4,0 - 45°	30
RNO 1,5d 3.1	P235GH TC1 (St35.8/I)	88,9x4,0 - 90°	8
RNO 1,5d 3.1	P235GH TC1 (St35.8/I)	88,9x4,5 - 180°	31
RNO 1,5d 3.1	P235GH TC1 (St35.8/I)	88,9x4,5 - 90°	441
RNO 1,5d 3.1	P235GH TC1 (St35.8/I)	88,9x5,0 - 90°	10
RNO 1,5d 3.1	P235GH TC1 (St35.8/I)	88,9x5,6 - 90°	45
RNO 1,5d 3.1	P235GH TC1 (St35.8/I)	88,9x8,0 - 90°	0
RNO 1,5d 3.1	P235GH TC2 (St35.8/III)	42,4x3,6 - 90°	0
RNO 1,5d 3.1	P235GH TC2 (St35.8/III)	42,4x4,0 - 180°	0
RNO 1,5d 3.1	P235GH TC2 (St35.8/III)	42,4x4,0 - 90°	225
RNO 1,5d 3.1	P235GH TC2 (St35.8/III)	48,3x6,3 - 90°	86
RNO 1,5d 3.1	P235GH TC2 (St35.8/III)	60,3x2,9 - 45°	0
RNO 1,5d 3.1	P235GH TC2 (St35.8/III)	60,3x2,9 - 90°	0
RNO 1,5d 3.1	P235GH TC2 (St35.8/III)	60,3x5,0 - 90°	15
RNO 1,5d 3.1	P235GH TC2 (St35.8/III)	88,9x3,2 - 45°	0
RNO 1,5d 3.1	P235GH TC2 (St35.8/III)	88,9x3,2 - 90°	1
RNO 1,5d 3.1	P235TR1 (St37.0)	101,6x3,6 - 45°	72
RNO 1,5d 3.1	P235TR1 (St37.0)	101,6x3,6 - 90°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	108,0x3,6 - 45°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	108,0x6,3 - 90°	180
RNO 1,5d 3.1	P235TR1 (St37.0)	114,3x3,6 - 180°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	114,3x3,6 - 90°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	114,3x6,3 - 45°	1
RNO 1,5d 3.1	P235TR1 (St37.0)	114,3x6,3 - 90°	28
RNO 1,5d 3.1	P235TR1 (St37.0)	133,0x4,0 - 180°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	133,0x6,3 - 90°	7
RNO 1,5d 3.1	P235TR1 (St37.0)	139,7x4,0 - 180°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	159,0x4,5 - 45°	35
RNO 1,5d 3.1	P235TR1 (St37.0)	168,3x4,5 - 90°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	26,9x2,3 - 45°	800
RNO 1,5d 3.1	P235TR1 (St37.0)	31,8x2,6 - 180°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	31,8x2,6 - 45°	1,311
RNO 1,5d 3.1	P235TR1 (St37.0)	31,8x2,6 - 90°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	323,7x7,1 - 90°	0



RNO 1,5d 3.1	P235TR1 (St37.0)	33,7x2,6 - 45°	497
RNO 1,5d 3.1	P235TR1 (St37.0)	33,7x2,9 - 180°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	33,7x3,2 - 90°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	38,0x2,6 - 90°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	42,4x2,6 - 180°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	42,4x2,6 - 45°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	42,4x2,6 - 60°	197
RNO 1,5d 3.1	P235TR1 (St37.0)	42,4x3,2 - 90°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	42,4x3,6 - 180°	319
RNO 1,5d 3.1	P235TR1 (St37.0)	42,4x3,6 - 90°	1,104
RNO 1,5d 3.1	P235TR1 (St37.0)	44,5x2,6 - 180°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	48,3x2,6 - 180°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	48,3x2,6 - 45°	295
RNO 1,5d 3.1	P235TR1 (St37.0)	48,3x3,2 - 90°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	48,3x4,0 - 90°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	51,0x2,6 - 45°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	57,0x4,0 - 180°	22
RNO 1,5d 3.1	P235TR1 (St37.0)	57,0x4,0 - 90°	142
RNO 1,5d 3.1	P235TR1 (St37.0)	60,3x2,9 - 30°	104
RNO 1,5d 3.1	P235TR1 (St37.0)	60,3x2,9 - 45°	326
RNO 1,5d 3.1	P235TR1 (St37.0)	60,3x2,9 - 60°	68
RNO 1,5d 3.1	P235TR1 (St37.0)	60,3x4,5 - 90°	390
RNO 1,5d 3.1	P235TR1 (St37.0)	63,5x2,9 - 90°	269
RNO 1,5d 3.1	P235TR1 (St37.0)	70,0x2,9 - 180°	10
RNO 1,5d 3.1	P235TR1 (St37.0)	70,0x2,9 - 90°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	76,1x2,9 - 45°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	76,1x5,0 - 180°	6
RNO 1,5d 3.1	P235TR1 (St37.0)	76,1x5,0 - 90°	250
RNO 1,5d 3.1	P235TR1 (St37.0)	82,5x3,2 - 90°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	88,9x3,2 - 180°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	88,9x3,2 - 45°	0
RNO 1,5d 3.1	P235TR1 (St37.0)	88,9x5,6 - 90°	371
RNO 1,5d 3.1	P235TR2 (St37.4)	101,6x3,6 - 180°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	101,6x3,6 - 45°	57
RNO 1,5d 3.1	P235TR2 (St37.4)	101,6x3,6 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	108,0x3,6 - 180°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	108,0x3,6 - 45°	308
RNO 1,5d 3.1	P235TR2 (St37.4)	108,0x3,6 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	108,0x6,3 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	114,3x3,2 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	114,3x3,56 - 90°	0

RNO 1,5d 3.1	P235TR2 (St37.4)	114,3x3,6 - 180°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	114,3x3,6 - 45°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	114,3x3,6 - 90°	329
RNO 1,5d 3.1	P235TR2 (St37.4)	121,0x4,0 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	127,0x4,0 - 90°	246
RNO 1,5d 3.1	P235TR2 (St37.4)	133,0x4,0 - 45°	17
RNO 1,5d 3.1	P235TR2 (St37.4)	133,0x4,0 - 90°	150
RNO 1,5d 3.1	P235TR2 (St37.4)	139,7x3,91 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	139,7x4,0 - 45°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	139,7x4,0 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	139,7x6,3 - 90°	323
RNO 1,5d 3.1	P235TR2 (St37.4)	139,7x7,1 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	152,0x4,5 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	152,4x4,5 - 90°	72
RNO 1,5d 3.1	P235TR2 (St37.4)	159,0x4,0 - 90°	6
RNO 1,5d 3.1	P235TR2 (St37.4)	159,0x4,5 - 180°	10
RNO 1,5d 3.1	P235TR2 (St37.4)	159,0x4,5 - 45°	4
RNO 1,5d 3.1	P235TR2 (St37.4)	159,0x4,5 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	168,3x4,5 - 90°	1
RNO 1,5d 3.1	P235TR2 (St37.4)	168,3x7,1 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	17,2x2,0 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	21,3x2,0 - 180°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	21,3x2,0 - 45°	26
RNO 1,5d 3.1	P235TR2 (St37.4)	21,3x2,0 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	219,1x6,3 - 90°	542
RNO 1,5d 3.1	P235TR2 (St37.4)	26,7x2,3 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	26,9x2,3 - 180°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	26,9x2,3 - 45°	35
RNO 1,5d 3.1	P235TR2 (St37.4)	26,9x2,3 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	26,9x2,6 - 180°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	26,9x2,6 - 90°	11
RNO 1,5d 3.1	P235TR2 (St37.4)	26,9x2,9 - 90°	68
RNO 1,5d 3.1	P235TR2 (St37.4)	26,9x3,2 - 90°	38
RNO 1,5d 3.1	P235TR2 (St37.4)	273,0x6,3 - 90°	4
RNO 1,5d 3.1	P235TR2 (St37.4)	31,8x2,6 - 180°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	31,8x2,6 - 45°	18
RNO 1,5d 3.1	P235TR2 (St37.4)	31,8x2,6 - 90°	3,649
RNO 1,5d 3.1	P235TR2 (St37.4)	323,7x7,1 - 90°	19
RNO 1,5d 3.1	P235TR2 (St37.4)	33,4x2,6 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	33,7x10,0 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	33,7x2,3 - 90°	0

RNO 1,5d 3.1	P235TR2 (St37.4)	33,7x2,6 - 180°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	33,7x2,6 - 45°	5
RNO 1,5d 3.1	P235TR2 (St37.4)	33,7x2,6 - 90°	4
RNO 1,5d 3.1	P235TR2 (St37.4)	33,7x2,9 - 90°	1,078
RNO 1,5d 3.1	P235TR2 (St37.4)	33,7x3,2 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	355,6x8,0 - 90°	13
RNO 1,5d 3.1	P235TR2 (St37.4)	38,0x2,3 - 180°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	38,0x2,6 - 180°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	38,0x2,6 - 90°	160
RNO 1,5d 3.1	P235TR2 (St37.4)	406,4x8,8 - 90°	5
RNO 1,5d 3.1	P235TR2 (St37.4)	42,2x2,6 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	42,4x - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	42,4x2,3 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	42,4x2,6 - 180°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	42,4x2,6 - 45°	21
RNO 1,5d 3.1	P235TR2 (St37.4)	42,4x2,6 - 90°	93
RNO 1,5d 3.1	P235TR2 (St37.4)	42,4x2,9 - 90°	980
RNO 1,5d 3.1	P235TR2 (St37.4)	42,4x3,2 - 45°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	42,4x3,2 - 90°	1
RNO 1,5d 3.1	P235TR2 (St37.4)	42,4x3,6 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	44,5x2,6 - 180°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	44,5x2,6 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	44,5x3,6 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	44,5x4,0 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	48,3x2,3 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	48,3x2,6 - 180°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	48,3x2,6 - 45°	1
RNO 1,5d 3.1	P235TR2 (St37.4)	48,3x2,6 - 90°	149
RNO 1,5d 3.1	P235TR2 (St37.4)	48,3x2,9 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	51,0x2,6 - 180°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	51,0x2,6 - 45°	63
RNO 1,5d 3.1	P235TR2 (St37.4)	51,0x2,6 - 90°	4
RNO 1,5d 3.1	P235TR2 (St37.4)	57,0x2,6 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	57,0x2,87 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	57,0x2,9 - 180°	20
RNO 1,5d 3.1	P235TR2 (St37.4)	57,0x2,9 - 90°	7
RNO 1,5d 3.1	P235TR2 (St37.4)	57,0x8,0 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	60,3x2,6 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	60,3x2,77 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	60,3x2,87 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	60,3x2,9 - 180°	5

RNO 1,5d 3.1	P235TR2 (St37.4)	60,3x2,9 - 45°	254
RNO 1,5d 3.1	P235TR2 (St37.4)	60,3x2,9 - 90°	949
RNO 1,5d 3.1	P235TR2 (St37.4)	60,3x3,2 - 90°	1,350
RNO 1,5d 3.1	P235TR2 (St37.4)	60,3x3,6 - 90°	260
RNO 1,5d 3.1	P235TR2 (St37.4)	60,3x4,5 - 45°	2
RNO 1,5d 3.1	P235TR2 (St37.4)	60,3x4,5 - 90°	84
RNO 1,5d 3.1	P235TR2 (St37.4)	63,5x2,9 - 85°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	63,5x2,9 - 90°	65
RNO 1,5d 3.1	P235TR2 (St37.4)	70,0x2,9 - 180°	20
RNO 1,5d 3.1	P235TR2 (St37.4)	70,0x2,9 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	70,0x4,0 - 90°	10
RNO 1,5d 3.1	P235TR2 (St37.4)	73,0x2,9 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	76,1x2,87 - 180°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	76,1x2,9 - 180°	4
RNO 1,5d 3.1	P235TR2 (St37.4)	76,1x2,9 - 30°	50
RNO 1,5d 3.1	P235TR2 (St37.4)	76,1x2,9 - 45°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	76,1x2,9 - 90°	24
RNO 1,5d 3.1	P235TR2 (St37.4)	76,1x3,2 - 180°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	76,1x3,2 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	76,1x3,6 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	76,1x5,0 - 90°	928
RNO 1,5d 3.1	P235TR2 (St37.4)	76,1x7,1 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	82,5x2,9 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	82,5x3,2 - 45°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	82,5x3,2 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	88,9x2,6 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	88,9x2,9 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	88,9x3,2 - 180°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	88,9x3,2 - 45°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	88,9x3,2 - 90°	1,255
RNO 1,5d 3.1	P235TR2 (St37.4)	88,9x3,6 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	88,9x4,0 - 45°	2
RNO 1,5d 3.1	P235TR2 (St37.4)	88,9x4,0 - 90°	79
RNO 1,5d 3.1	P235TR2 (St37.4)	88,9x4,5 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	88,9x5,0 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	88,9x5,6 - 90°	0
RNO 1,5d 3.1	P235TR2 (St37.4)	88,9x7,1 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	101,6x7,1 - 90°	1
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	108,0x6,3 - 90°	74
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	114,3x10,0 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	114,3x3,6 - 90°	0

RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	114,3x6,3 - 90°	107
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	114,3x8,8 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	133,0x6,3 - 90°	94
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	139,7x4,0 - 90°	24
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	168,3x7,1 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	17,2x2,0 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	21,3x3,2 - 90°	50
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	219,1x6,3 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	26,9x2,3 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	26,9x2,9 - 90°	255
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	26,9x3,2 - 90°	3
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	273,0x10,0 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	273,0x6,3 - 90°	44
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	31,8x2,6 - 180°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	31,8x3,2 - 90°	10
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	33,7x2,6 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	33,7x2,9 - 90°	361
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	33,7x3,2 - 90°	20
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	33,7x4,0 - 90°	691
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	33,7x5,0 - 90°	131
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	355,6x8,0 - 90°	5
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	42,4x2,6 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	42,4x3,2 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	42,4x3,6 - 90°	159
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	42,4x4,0 - 90°	12
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	44,5x3,2 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	44,5x3,6 - 180°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	44,5x5,0 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	48,3x4,0 - 90°	1
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	48,3x6,3 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	57,0x3,6 - 180°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	57,0x4,0 - 90°	144
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	60,3x2,9 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	60,3x4,5 - 180°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	60,3x4,5 - 90°	31
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	60,3x8,8 - 90°	48
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	73,0x3,91 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	76,1x10,0 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	76,1x2,9 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	76,1x3,2 - 180°	16
RNO 1,5d 3.1	P265GH TC1 (St45.8/l)	76,1x3,2 - 90°	1

RNO 1,5d 3.1	P265GH TC1 (St45.8/I)	76,1x3,6 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/I)	76,1x4,0 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/I)	76,1x5,0 - 90°	141
RNO 1,5d 3.1	P265GH TC1 (St45.8/I)	76,1x6,3 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/I)	76,1x8,0 - 90°	150
RNO 1,5d 3.1	P265GH TC1 (St45.8/I)	88,9x3,2 - 180°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/I)	88,9x3,2 - 30°	55
RNO 1,5d 3.1	P265GH TC1 (St45.8/I)	88,9x3,2 - 45°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/I)	88,9x3,2 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/I)	88,9x3,6 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/I)	88,9x4,0 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/I)	88,9x4,5 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/I)	88,9x5,0 - 90°	99
RNO 1,5d 3.1	P265GH TC1 (St45.8/I)	88,9x5,6 - 45°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/I)	88,9x5,6 - 90°	70
RNO 1,5d 3.1	P265GH TC1 (St45.8/I)	88,9x6,3 - 90°	0
RNO 1,5d 3.1	P265GH TC1 (St45.8/I)	88,9x7,1 - 90°	30
RNO 1,5d 3.1	P265GH TC1 (St45.8/I)	88,9x8,0 - 180°	3
RNO 1,5d 3.1	P265GH TC1 (St45.8/I)	88,9x8,0 - 90°	85
RNO 1,5d 3.1	P265GH TC1 (St45.8/I)	88,9x8,8 - 180°	3
RNO 1,5d 3.1	P265GH TC1 (St45.8/I)	88,9x8,8 - 90°	10
RNO 1,5d 3.1	P265GH TC2 (St45.8/III)	133,0x6,3 - 180°	1
RNO 1,5d 3.1	P265GH TC2 (St45.8/III)	31,8x3,2 - 90°	0
RNO 1,5d 3.1	P265GH TC2 (St45.8/III)	42,4x4,0 - 180°	0
RNO 1,5d 3.1	P265GH TC2 (St45.8/III)	76,1x10,0 - 90°	0
RNO 1,5d 3.1	P265TR2 (St44.4)	114,3x3,6 - 90°	0
RNO 1,5d 3.1	P265TR2 (St44.4)	133,0x4,0 - 180°	0
RNO 1,5d 3.1	P265TR2 (St44.4)	21,3x2,0 - 45°	50
RNO 1,5d 3.1	P265TR2 (St44.4)	21,3x2,0 - 90°	0
RNO 1,5d 3.1	P265TR2 (St44.4)	26,9x2,3 - 90°	70
RNO 1,5d 3.1	P265TR2 (St44.4)	406,4x8,8 - 90°	0
RNO 1,5d 3.1	P265TR2 (St44.4)	42,4x2,3 - 180°	240
RNO 1,5d 3.1	P265TR2 (St44.4)	48,3x4,0 - 90°	3
RNO 1,5d 3.1	P265TR2 (St44.4)	57,0x2,9 - 90°	0
RNO 1,5d 3.1	P265TR2 (St44.4)	60,3x2,9 - 180°	20
RNO 1,5d 3.1	P265TR2 (St44.4)	76,1x2,6 - 180°	0
RNO 1,5d 3.1	P355N (StE 355)	60,3x2,9 - 90°	0
RNO 1,5d 3.1	P355N (StE 355)	88,9x3,2 - 90°	0
RNO 1,5d 3.1	P355NH (WStE 355)	26,9x3,2 - 90°	0
RNO 1,5d 3.1	P355NH (WStE 355)	88,9x5,6 - 90°	0
RNO 1,5d 3.1	P355NL1 (TStE 355)	114,3x3,6 - 90°	0

RNO 1,5d 3.1	P355NL1 (TStE 355)	114,3x4,0 - 90°	0
RNO 1,5d 3.1	P355NL1 (TStE 355)	114,3x6,3 - 90°	6
RNO 1,5d 3.1	P355NL1 (TStE 355)	139,7x4,0 - 90°	0
RNO 1,5d 3.1	P355NL1 (TStE 355)	139,7x6,3 - 90°	0
RNO 1,5d 3.1	P355NL1 (TStE 355)	26,9x3,6 - 90°	0
RNO 1,5d 3.1	P355NL1 (TStE 355)	33,7x3,2 - 90°	0
RNO 1,5d 3.1	P355NL1 (TStE 355)	33,7x4,0 - 90°	0
RNO 1,5d 3.1	P355NL1 (TStE 355)	42,4x4,5 - 90°	0
RNO 1,5d 3.1	P355NL1 (TStE 355)	48,3x3,2 - 90°	0
RNO 1,5d 3.1	P355NL1 (TStE 355)	48,3x4,0 - 90°	2
RNO 1,5d 3.1	P355NL1 (TStE 355)	60,3x4,5 - 90°	0
RNO 1,5d 3.1	P355NL1 (TStE 355)	60,3x5,6 - 90°	0
RNO 1,5d 3.1	P355NL1 (TStE 355)	60,3x8,8 - 90°	26
RNO 1,5d 3.1	P355NL1 (TStE 355)	76,1x3,6 - 90°	0
RNO 1,5d 3.1	P355NL1 (TStE 355)	76,1x5,0 - 90°	0
RNO 1,5d 3.1	P355NL1 (TStE 355)	88,9x3,2 - 90°	0
RNO 1,5d 3.1	P355NL1 (TStE 355)	88,9x5,6 - 90°	0
RNO 1,5d 3.1	S235/P235TR1	101,6x3,6 - 90°	2
RNO 1,5d 3.1	S235/P235TR1	108,0x3,6 - 90°	0
RNO 1,5d 3.1	S235/P235TR1	114,3x3,6 - 90°	94
RNO 1,5d 3.1	S235/P235TR1	114,3x6,3 - 90°	0
RNO 1,5d 3.1	S235/P235TR1	133,0x4,0 - 90°	200
RNO 1,5d 3.1	S235/P235TR1	133,0x6,3 - 90°	2
RNO 1,5d 3.1	S235/P235TR1	139,7x4,0 - 90°	1,278
RNO 1,5d 3.1	S235/P235TR1	159,0x4,5 - 90°	0
RNO 1,5d 3.1	S235/P235TR1	168,3x4,5 - 90°	55
RNO 1,5d 3.1	S235/P235TR1	219,1x6,3 - 90°	177
RNO 1,5d 3.1	S235/P235TR1	273,0x6,3 - 90°	190
RNO 1,5d 3.1	S235/P235TR1	323,7x7,1 - 90°	1
RNO 1,5d 3.1	S235/P235TR1	33,7x2,6 - 180°	0
RNO 1,5d 3.1	S235/P235TR1	33,7x2,6 - 90°	250
RNO 1,5d 3.1	S235/P235TR1	38,0x3,2 - 90°	0
RNO 1,5d 3.1	S235/P235TR1	406,4x8,8 - 90°	0
RNO 1,5d 3.1	S235/P235TR1	42,4x2,6 - 90°	1
RNO 1,5d 3.1	S235/P235TR1	48,3x2,6 - 180°	0
RNO 1,5d 3.1	S235/P235TR1	48,3x2,6 - 90°	0
RNO 1,5d 3.1	S235/P235TR1	60,3x2,87 - 90°	0
RNO 1,5d 3.1	S235/P235TR1	60,3x2,9 - 90°	0
RNO 1,5d 3.1	S235/P235TR1	76,1x2,9 - 90°	0
RNO 1,5d 3.1	S235/P235TR1	88,9x3,2 - 90°	8
RNO 1d	P235GH TC1 (St35.8/l)	101,6x3,6 - 90°	0

RNO 1d	P235GH TC1 (St35.8/l)	108,0x3,6 - 90°	36
RNO 1d	P235GH TC1 (St35.8/l)	114,3x3,6 - 90°	1,021
RNO 1d	P235GH TC1 (St35.8/l)	114,3x6,3 - 90°	15
RNO 1d	P235GH TC1 (St35.8/l)	133,0x4,0 - 90°	18
RNO 1d	P235GH TC1 (St35.8/l)	139,7x4,0 - 90°	62
RNO 1d	P235GH TC1 (St35.8/l)	139,7x6,3 - 90°	30
RNO 1d	P235GH TC1 (St35.8/l)	159,0x4,5 - 90°	15
RNO 1d	P235GH TC1 (St35.8/l)	168,3x4,5 - 90°	20
RNO 1d	P235GH TC1 (St35.8/l)	219,1x6,3 - 90°	28
RNO 1d	P235GH TC1 (St35.8/l)	323,9x7,1 - 90°	17
RNO 1d	P235GH TC1 (St35.8/l)	33,7x2,6 - 90°	0
RNO 1d	P235GH TC1 (St35.8/l)	42,4x2,6 - 90°	139
RNO 1d	P235GH TC1 (St35.8/l)	48,3x2,6 - 90°	644
RNO 1d	P235GH TC1 (St35.8/l)	48,3x2,9 - 90°	2
RNO 1d	P235GH TC1 (St35.8/l)	57,0x2,9 - 90°	64
RNO 1d	P235GH TC1 (St35.8/l)	60,3x2,9 - 90°	699
RNO 1d	P235GH TC1 (St35.8/l)	60,3x4,5 - 90°	7
RNO 1d	P235GH TC1 (St35.8/l)	76,1x2,9 - 90°	1,324
RNO 1d	P235GH TC1 (St35.8/l)	88,9x - 90°	880
RNO 1d	P235GH TC1 (St35.8/l)	88,9x3,2 - 90°	175
RNO 2,5d	P235GH TC1 (St35.8/l)	101,6x3,6 - 90°	365
RNO 2,5d	P235GH TC1 (St35.8/l)	108,0x3,6 - 90°	1,238
RNO 2,5d	P235GH TC1 (St35.8/l)	114,3x3,6 - 45°	1
RNO 2,5d	P235GH TC1 (St35.8/l)	114,3x3,6 - 90°	277
RNO 2,5d	P235GH TC1 (St35.8/l)	133,0x4,0 - 90°	315
RNO 2,5d	P235GH TC1 (St35.8/l)	139,7x4,0 - 90°	128
RNO 2,5d	P235GH TC1 (St35.8/l)	159,0x4,5 - 90°	0
RNO 2,5d	P235GH TC1 (St35.8/l)	168,3x4,5 - 90°	34
RNO 2,5d	P235GH TC1 (St35.8/l)	21,3x2,0 - 180°	1,550
RNO 2,5d	P235GH TC1 (St35.8/l)	21,3x2,0 - 90°	4,201
RNO 2,5d	P235GH TC1 (St35.8/l)	219,1x6,3 - 90°	0
RNO 2,5d	P235GH TC1 (St35.8/l)	26,9x2,3 - 180°	300
RNO 2,5d	P235GH TC1 (St35.8/l)	26,9x2,3 - 90°	4,501
RNO 2,5d	P235GH TC1 (St35.8/l)	273,0x6,3 - 90°	5
RNO 2,5d	P235GH TC1 (St35.8/l)	323,7x7,1 - 90°	9
RNO 2,5d	P235GH TC1 (St35.8/l)	33,7x2,6 - 180°	80
RNO 2,5d	P235GH TC1 (St35.8/l)	33,7x2,6 - 90°	2,099
RNO 2,5d	P235GH TC1 (St35.8/l)	33,7x3,2 - 90°	334
RNO 2,5d	P235GH TC1 (St35.8/l)	33,7x3,6 - 90°	68
RNO 2,5d	P235GH TC1 (St35.8/l)	355,6x8,0 - 90°	0
RNO 2,5d	P235GH TC1 (St35.8/l)	38,0x2,6 - 90°	120



RNO 2,5d	P235GH TC1 (St35.8/I)	42,4x2,6 - 180°	16
RNO 2,5d	P235GH TC1 (St35.8/I)	42,4x2,6 - 90°	206
RNO 2,5d	P235GH TC1 (St35.8/I)	42,4x3,6 - 90°	192
RNO 2,5d	P235GH TC1 (St35.8/I)	48,3x2,6 - 180°	10
RNO 2,5d	P235GH TC1 (St35.8/I)	48,3x2,6 - 45°	0
RNO 2,5d	P235GH TC1 (St35.8/I)	48,3x2,6 - 90°	50
RNO 2,5d	P235GH TC1 (St35.8/I)	48,3x3,65 - 90°	0
RNO 2,5d	P235GH TC1 (St35.8/I)	48,3x4,0 - 180°	0
RNO 2,5d	P235GH TC1 (St35.8/I)	48,3x4,0 - 90°	456
RNO 2,5d	P235GH TC1 (St35.8/I)	48,3x4,5 - 90°	0
RNO 2,5d	P235GH TC1 (St35.8/I)	60,3x2,9 - 180°	49
RNO 2,5d	P235GH TC1 (St35.8/I)	60,3x2,9 - 45°	3
RNO 2,5d	P235GH TC1 (St35.8/I)	60,3x2,9 - 90°	2,480
RNO 2,5d	P235GH TC1 (St35.8/I)	70,0x2,9 - 90°	0
RNO 2,5d	P235GH TC1 (St35.8/I)	76,1x2,9 - 45°	47
RNO 2,5d	P235GH TC1 (St35.8/I)	76,1x2,9 - 90°	182
RNO 2,5d	P235GH TC1 (St35.8/I)	76,1x5,6 - 90°	0
RNO 2,5d	P235GH TC1 (St35.8/I)	82,5x3,2 - 90°	500
RNO 2,5d	P235GH TC1 (St35.8/I)	88,9x3,2 - 180°	50
RNO 2,5d	P235GH TC1 (St35.8/I)	88,9x3,2 - 45°	2
RNO 2,5d	P235GH TC1 (St35.8/I)	88,9x3,2 - 90°	91
RNO 2,5d	P235GH TC1 (St35.8/I)	88,9x5,0 - 90°	0
RNO 2,5d	P235GH TC2 (St35.8/III)	26,9x3,2 - 90°	42
RNO 2,5d	P235GH TC2 (St35.8/III)	33,7x4,0 - 90°	0
RNO 2,5d	P235GH TC2 (St35.8/III)	48,3x4,5 - 90°	71
RNO 2,5d	P235GH TC2 (St35.8/III)	60,3x4,5 - 90°	68
RNO 2,5d	P235TR2 (St37.4)	101,6x3,6 - 90°	370
RNO 2,5d	P235TR2 (St37.4)	108,0x3,6 - 90°	0
RNO 2,5d	P235TR2 (St37.4)	114,3x3,6 - 90°	0
RNO 2,5d	P235TR2 (St37.4)	133,0x4,0 - 90°	0
RNO 2,5d	P235TR2 (St37.4)	139,7x4,0 - 90°	0
RNO 2,5d	P235TR2 (St37.4)	21,3x2,0 - 90°	4,115
RNO 2,5d	P235TR2 (St37.4)	26,9x2,3 - 180°	140
RNO 2,5d	P235TR2 (St37.4)	26,9x2,3 - 90°	0
RNO 2,5d	P235TR2 (St37.4)	273,0x6,3 - 90°	0
RNO 2,5d	P235TR2 (St37.4)	33,7x2,6 - 180°	0
RNO 2,5d	P235TR2 (St37.4)	33,7x2,6 - 90°	0
RNO 2,5d	P235TR2 (St37.4)	42,4x2,6 - 180°	0
RNO 2,5d	P235TR2 (St37.4)	42,4x2,6 - 90°	0
RNO 2,5d	P235TR2 (St37.4)	48,3x2,6 - 180°	0
RNO 2,5d	P235TR2 (St37.4)	48,3x2,6 - 90°	0

RNO 2,5d	P235TR2 (St37.4)	57,0x2,9 - 90°	0
RNO 2,5d	P235TR2 (St37.4)	60,3x2,9 - 90°	0
RNO 2,5d	P235TR2 (St37.4)	76,1x2,9 - 180°	61
RNO 2,5d	P235TR2 (St37.4)	76,1x2,9 - 90°	0
RNO 2,5d	P235TR2 (St37.4)	88,9x2,9 - 90°	0
RNO 2,5d	P235TR2 (St37.4)	88,9x3,2 - 180°	215
RNO 2,5d	P235TR2 (St37.4)	88,9x3,2 - 90°	192
RNO 2,5d	P235TR2 (St37.4)	88,9x3,6 - 90°	0
RNO 2,5d	P265GH TC1 (St45.8/l)	108,0x3,6 - 90°	0
RNO 2,5d	P265GH TC1 (St45.8/l)	114,3x3,6 - 90°	0
RNO 2,5d	P265GH TC1 (St45.8/l)	114,3x6,3 - 90°	39
RNO 2,5d	P265GH TC1 (St45.8/l)	139,7x4,0 - 90°	0
RNO 2,5d	P265GH TC1 (St45.8/l)	33,7x3,2 - 90°	0
RNO 2,5d	P265GH TC1 (St45.8/l)	42,4x3,6 - 90°	0
RNO 2,5d	P265GH TC1 (St45.8/l)	48,3x4,5 - 90°	0
RNO 2,5d	P265GH TC1 (St45.8/l)	60,3x2,9 - 90°	0
RNO 2,5d	P265GH TC1 (St45.8/l)	60,3x4,5 - 90°	0
RNO 2,5d	P265GH TC1 (St45.8/l)	76,1x5,0 - 90°	95
RNO 2,5d	P265GH TC1 (St45.8/l)	88,9x3,2 - 180°	0
RNO 2,5d	P265GH TC1 (St45.8/l)	88,9x3,2 - 90°	0
RNO 2,5d	P265GH TC1 (St45.8/l)	88,9x5,6 - 90°	0
RNO 2,5d	P265TR2 (St44.4)	114,3x3,6 - 90°	0
RNO 2,5d	P355NH (WStE 355)	114,3x6,3 - 90°	0
RNO 2,5d	P355NH (WStE 355)	26,9x3,2 - 90°	24
RNO 2,5d	P355NH (WStE 355)	33,7x3,6 - 90°	234
RNO 2,5d	P355NH (WStE 355)	33,7x4,0 - 90°	0
RNO 2,5d	P355NH (WStE 355)	48,3x4,0 - 90°	0
RNO 2,5d	P355NH (WStE 355)	60,3x5,6 - 90°	0
RNO 2,5d	P355NL1 (TStE 355)	60,3x5,6 - 90°	0
T-kusy	P235GH TC1 (St35.8/l)	101,6x101,6 - 3,6x3,6	26
T-kusy	P235GH TC1 (St35.8/l)	108,0x108,0 - 3,6x3,6	1,487
T-kusy	P235GH TC1 (St35.8/l)	108,0x88,9 - 3,6x3,2	336
T-kusy	P235GH TC1 (St35.8/l)	114,3x114,3 - 3,6x3,6	146
T-kusy	P235GH TC1 (St35.8/l)	114,3x114,3 - 5,6x5,6	8
T-kusy	P235GH TC1 (St35.8/l)	114,3x114,3 - 6,3x6,3	134
T-kusy	P235GH TC1 (St35.8/l)	114,3x114,3 - 8,8x8,8	0
T-kusy	P235GH TC1 (St35.8/l)	114,3x60,3 - 3,6x2,9	216
T-kusy	P235GH TC1 (St35.8/l)	114,3x60,3 - 6,3x4,5	0
T-kusy	P235GH TC1 (St35.8/l)	114,3x76,1 - 3,6x2,9	444
T-kusy	P235GH TC1 (St35.8/l)	114,3x76,1 - 6,3x5,0	23
T-kusy	P235GH TC1 (St35.8/l)	114,3x88,9 - 3,6x3,2	16

T-kusy	P235GH TC1 (St35.8/l)	114,3x88,9 - 6,3x5,6	11
T-kusy	P235GH TC1 (St35.8/l)	133,0x108,0 - 4,0x3,6	0
T-kusy	P235GH TC1 (St35.8/l)	133,0x133,0 - 4,0x4,0	368
T-kusy	P235GH TC1 (St35.8/l)	139,7x114,3 - 4,0x3,6	93
T-kusy	P235GH TC1 (St35.8/l)	139,7x114,3 - 6,3x6,3	0
T-kusy	P235GH TC1 (St35.8/l)	139,7x139,7 - 4,0x4,0	545
T-kusy	P235GH TC1 (St35.8/l)	139,7x139,7 - 5,6x5,6	4
T-kusy	P235GH TC1 (St35.8/l)	139,7x139,7 - 6,3x6,3	10
T-kusy	P235GH TC1 (St35.8/l)	139,7x139,7 - 8,0x8,0	28
T-kusy	P235GH TC1 (St35.8/l)	139,7x76,1 - 4,0x2,9	3
T-kusy	P235GH TC1 (St35.8/l)	139,7x88,9 - 4,0x3,2	52
T-kusy	P235GH TC1 (St35.8/l)	139,7x88,9 - 6,3x5,6	0
T-kusy	P235GH TC1 (St35.8/l)	159,0x108,0 - 4,5x3,6	142
T-kusy	P235GH TC1 (St35.8/l)	159,0x159,0 - 4,5x4,5	555
T-kusy	P235GH TC1 (St35.8/l)	168,3x114,3 - 11,0x8,8	0
T-kusy	P235GH TC1 (St35.8/l)	168,3x114,3 - 4,5x3,6	263
T-kusy	P235GH TC1 (St35.8/l)	168,3x139,7 - 4,5x4,0	228
T-kusy	P235GH TC1 (St35.8/l)	168,3x139,7 - 7,1x6,3	0
T-kusy	P235GH TC1 (St35.8/l)	168,3x168,3 - 4,5x4,5	106
T-kusy	P235GH TC1 (St35.8/l)	168,3x168,3 - 7,1x7,1	0
T-kusy	P235GH TC1 (St35.8/l)	168,3x76,1 - 4,5x2,9	73
T-kusy	P235GH TC1 (St35.8/l)	168,3x88,9 - 4,5x3,2	70
T-kusy	P235GH TC1 (St35.8/l)	168,3x88,9 - 7,1x5,6	0
T-kusy	P235GH TC1 (St35.8/l)	21,3x21,3 - 2,0x2,0	263
T-kusy	P235GH TC1 (St35.8/l)	21,3x21,3 - 3,2x3,2	41
T-kusy	P235GH TC1 (St35.8/l)	219,1x108,0 - 6,3x3,6	0
T-kusy	P235GH TC1 (St35.8/l)	219,1x114,3 - 6,3x3,6	0
T-kusy	P235GH TC1 (St35.8/l)	219,1x139,7 - 6,3x4,0	9
T-kusy	P235GH TC1 (St35.8/l)	219,1x159,0 - 6,3x4,5	0
T-kusy	P235GH TC1 (St35.8/l)	219,1x168,3 - 6,3x4,5	2
T-kusy	P235GH TC1 (St35.8/l)	219,1x168,3 - 8,0x7,1	0
T-kusy	P235GH TC1 (St35.8/l)	219,1x219,1 - 6,3x6,3	57
T-kusy	P235GH TC1 (St35.8/l)	219,1x88,9 - 6,3x3,2	6
T-kusy	P235GH TC1 (St35.8/l)	219,1x88,9 - 8,0x5,6	1
T-kusy	P235GH TC1 (St35.8/l)	26,9x21,3 - 2,3x2,0	796
T-kusy	P235GH TC1 (St35.8/l)	26,9x26,9 - 2,3x2,3	7
T-kusy	P235GH TC1 (St35.8/l)	26,9x26,9 - 3,2x3,2	28
T-kusy	P235GH TC1 (St35.8/l)	273,0x114,3 - 6,3x3,6	6
T-kusy	P235GH TC1 (St35.8/l)	273,0x139,7 - 6,3x4,0	7
T-kusy	P235GH TC1 (St35.8/l)	273,0x168,3 - 6,3x4,5	2
T-kusy	P235GH TC1 (St35.8/l)	273,0x219,1 - 6,3x6,3	15

T-kusy	P235GH TC1 (St35.8/l)	273,0x273,0 - 12,5x12,5	0
T-kusy	P235GH TC1 (St35.8/l)	273,0x273,0 - 6,3x6,3	80
T-kusy	P235GH TC1 (St35.8/l)	323,9x168,3 - 7,1x4,5	2
T-kusy	P235GH TC1 (St35.8/l)	323,9x219,1 - 7,1x6,3	4
T-kusy	P235GH TC1 (St35.8/l)	323,9x273,0 - 12,5x12,5	0
T-kusy	P235GH TC1 (St35.8/l)	323,9x273,0 - 7,1x6,3	7
T-kusy	P235GH TC1 (St35.8/l)	323,9x323,9 - 7,1x7,1	16
T-kusy	P235GH TC1 (St35.8/l)	33,7x21,3 - 2,6x2,0	425
T-kusy	P235GH TC1 (St35.8/l)	33,7x26,9 - 2,6x2,3	1,095
T-kusy	P235GH TC1 (St35.8/l)	33,7x33,7 - 2,6x2,6	2,261
T-kusy	P235GH TC1 (St35.8/l)	33,7x33,7 - 3,2x3,2	0
T-kusy	P235GH TC1 (St35.8/l)	33,7x33,7 - 4,0x4,0	97
T-kusy	P235GH TC1 (St35.8/l)	33,7x33,7 - 4,5x4,5	289
T-kusy	P235GH TC1 (St35.8/l)	355,6x219,1 - 8,0x6,3	0
T-kusy	P235GH TC1 (St35.8/l)	355,6x273,0 - 8,0x6,3	1
T-kusy	P235GH TC1 (St35.8/l)	355,6x323,9 - 8,0x7,1	5
T-kusy	P235GH TC1 (St35.8/l)	355,6x355,6 - 8,0x8,0	5
T-kusy	P235GH TC1 (St35.8/l)	42,4x21,3 - 2,6x2,0	1,180
T-kusy	P235GH TC1 (St35.8/l)	42,4x26,9 - 2,6x2,3	448
T-kusy	P235GH TC1 (St35.8/l)	42,4x33,7 - 2,6x2,6	439
T-kusy	P235GH TC1 (St35.8/l)	42,4x38,0 - 2,6x2,6	0
T-kusy	P235GH TC1 (St35.8/l)	42,4x42,4 - 2,6x2,6	0
T-kusy	P235GH TC1 (St35.8/l)	42,4x42,4 - 3,6x3,6	9
T-kusy	P235GH TC1 (St35.8/l)	42,4x42,4 - 4,0x4,0	9
T-kusy	P235GH TC1 (St35.8/l)	48,3x26,9 - 2,6x2,3	200
T-kusy	P235GH TC1 (St35.8/l)	48,3x33,7 - 2,6x2,6	1,789
T-kusy	P235GH TC1 (St35.8/l)	48,3x38,0 - 4,0x3,6	0
T-kusy	P235GH TC1 (St35.8/l)	48,3x42,4 - 2,6x2,6	753
T-kusy	P235GH TC1 (St35.8/l)	48,3x42,4 - 4,0x3,6	82
T-kusy	P235GH TC1 (St35.8/l)	48,3x48,3 - 2,6x2,6	497
T-kusy	P235GH TC1 (St35.8/l)	48,3x48,3 - 4,0x4,0	7
T-kusy	P235GH TC1 (St35.8/l)	48,3x48,3 - 5,0x5,0	123
T-kusy	P235GH TC1 (St35.8/l)	57,0x57,0 - 2,9x2,9	55
T-kusy	P235GH TC1 (St35.8/l)	60,3x33,7 - 2,9x2,6	298
T-kusy	P235GH TC1 (St35.8/l)	60,3x33,7 - 4,5x3,2	0
T-kusy	P235GH TC1 (St35.8/l)	60,3x42,4 - 2,9x2,6	286
T-kusy	P235GH TC1 (St35.8/l)	60,3x42,4 - 4,5x3,6	76
T-kusy	P235GH TC1 (St35.8/l)	60,3x48,3 - 2,9x2,6	262
T-kusy	P235GH TC1 (St35.8/l)	60,3x48,3 - 4,5x4,0	49
T-kusy	P235GH TC1 (St35.8/l)	60,3x60,3 - 2,9x2,9	12
T-kusy	P235GH TC1 (St35.8/l)	60,3x60,3 - 3,6x3,6	0

T-kusy	P235GH TC1 (St35.8/l)	60,3x60,3 - 4,5x4,5	106
T-kusy	P235GH TC1 (St35.8/l)	60,3x60,3 - 5,0x5,0	3
T-kusy	P235GH TC1 (St35.8/l)	60,3x60,3 - 5,6x5,6	56
T-kusy	P235GH TC1 (St35.8/l)	76,1x42,4 - 2,9x2,6	52
T-kusy	P235GH TC1 (St35.8/l)	76,1x42,4 - 5,0x3,6	120
T-kusy	P235GH TC1 (St35.8/l)	76,1x48,3 - 2,9x2,6	503
T-kusy	P235GH TC1 (St35.8/l)	76,1x48,3 - 5,0x4,0	91
T-kusy	P235GH TC1 (St35.8/l)	76,1x60,3 - 2,9x2,9	727
T-kusy	P235GH TC1 (St35.8/l)	76,1x60,3 - 5,0x4,0	0
T-kusy	P235GH TC1 (St35.8/l)	76,1x60,3 - 5,0x4,5	89
T-kusy	P235GH TC1 (St35.8/l)	76,1x76,1 - 2,9x2,9	6
T-kusy	P235GH TC1 (St35.8/l)	76,1x76,1 - 5,0x5,0	244
T-kusy	P235GH TC1 (St35.8/l)	76,1x76,1 - 5,6x5,6	0
T-kusy	P235GH TC1 (St35.8/l)	76,1x76,1 - 7,1x7,1	93
T-kusy	P235GH TC1 (St35.8/l)	88,9x42,4 - 3,2x2,6	1
T-kusy	P235GH TC1 (St35.8/l)	88,9x48,3 - 3,2x2,6	746
T-kusy	P235GH TC1 (St35.8/l)	88,9x60,3 - 3,2x2,9	200
T-kusy	P235GH TC1 (St35.8/l)	88,9x60,3 - 5,6x4,5	9
T-kusy	P235GH TC1 (St35.8/l)	88,9x60,3 - 6,3x5,0	81
T-kusy	P235GH TC1 (St35.8/l)	88,9x76,1 - 3,2x2,9	0
T-kusy	P235GH TC1 (St35.8/l)	88,9x76,1 - 4,5x4,5	82
T-kusy	P235GH TC1 (St35.8/l)	88,9x76,1 - 5,6x5,0	5
T-kusy	P235GH TC1 (St35.8/l)	88,9x76,1 - 6,3x5,6	175
T-kusy	P235GH TC1 (St35.8/l)	88,9x88,9 - 3,2x3,2	256
T-kusy	P235GH TC1 (St35.8/l)	88,9x88,9 - 4,5x4,5	10
T-kusy	P235GH TC1 (St35.8/l)	88,9x88,9 - 5,6x5,6	31
T-kusy	P235GH TC1 (St35.8/l)	88,9x88,9 - 6,3x6,3	252
T-kusy	P235GH TC1 (St35.8/l)	88,9x88,9 - 8,0x8,0	37
T-kusy	P235GH TC2 (St35.8/III)	139,7x139,7 - 4,0x4,0	0
T-kusy	S235/P235TR1	139,7x139,7 - 4,0x4,0	0
T-kusy	S235/P235TR1	26,9x26,9 - 2,3x2,3	0